

Fax - 0120 - 2405922

Ph: - 0120 - 240 596-73

नवोदय विद्यालय समिति

(मानव संसाधन विकास मंत्रालय का स्वायत्त संस्थान,

स्कूल शिक्षा एवं साक्षरता विभाग) भारत सरकार

बी - 15, सेक्टर - 62, संस्थागत क्षेत्र,

नोएडा, उत्तर प्रदेश - 201 307



Fax - 0120 - 2405922

Ph: - 0120 - 240 5969-73

NAVODAYA VIDYALAYA SAMITI

(An Autonomous Organization under Ministry of HRD)

Department of School Education & Literacy)

Govt. of India

B- 15, Sector - 62, Institutional Area

Noida (UP)- 201 307

F. NO. 3-5/97-NVS(W)/444

Dated:- 02.05.2018

NOTIFICATION No. -01/2018

In compliance to the approval received in 35th Executive Committee meeting held on 31.08.2017 and in 24th Construction Coordination Committee meeting held on 13.01.2018, norms of infrastructure in a Jawahar Navodaya Vidyalaya is modified as below.

Sl. No	Name of Infrastructure / Buildings in a JNV	Existing Provision		Modified Provision	
		Nos.	Plinth Area per unit (in Sqm)	Nos.	Plinth Area per unit (in Sqm)
1	2	3	4	5	6
1	School Building consisting of Classrooms, 1 Library, 1 Computer room, 1 Principal, 1 Vice Principal rooms, 1 Staff room, 3 laboratories etc.(Single Storey building) (Refer Note-1)	1	1913	1	2293
2	Boys Dormitories without Warden Residences. (Refer Note- 2)	1.00 + 0.50 + 0.50	1383	1.50 + 0.50 + 0.50	1734
3	Girls Dormitories without Warden Residences. (Refer Note- 2)	0.50 + 0.50	1383	0.50 + 0.50	1770
8	Warden Residence (Type -III) (Refer Note-3)	12	55	12	89 (Note-3)
4	Kitchen & Dining Hall	1	757	1	757
5	Type-V Qtrs. for Principal Residence	1	106	1	186
6	Type-IV Qtrs. for Vice Principal Residence	Nil	Nil	1	121
7	Type-III Residence Quarter	16	60	18	80
9	Type-II Residence Quarter	6	50	13	70
10	Type-I Residence Quarter	6	40	Nil	Nil
11	Guest House	1	60	1	80


Note-1: The following provision is made additionally in school cum Academic block.

- In existing School building there was provision for 14 nos. of class rooms which are enhanced to 18 nos.
- Size of library has been increased from 6m x 12 m to 6m x 18m.
- Provision of Staircase for roof access.
- Provision of Central Court yard covered partially with steel structure.
- Toilet blocks for Boys & Girls.

Note-2: The 0.50 unit Boys Dormitory constructed in Phase-B (Bal.) shall depend upon the actual student strength (Boys or Girls). However in above table it is shown under Boys Dormitory as per minimum intake norms of 33% Girls students.

Note-3: Total plinth area of Warden Residence is considered 89 sqm out of which 80 sqm is considered for Residence unit equivalent to Type-III staff qtr and 9 sqm for access to qtrs. passage etc.


This is issued with the approval of Competent Authority.


(V.K. Gupta)
02/05/18
Executive Engineer, HQ

9/2

Copy to: For kind information please.

1. PA to Commissioner, NVS.
2. PA to Joint Commissioners, (Admin.), NVS.
3. PA to Joint Commissioners, (Acad.), NVS.
4. All Deputy Commissioners, NVS, Regional Office.
5. All EEs/JEs, RO, NVS.
6. All Principal through web site.


02/05/18
Executive Engineer, HQ

9/2